



# MSDS

Report No.: SHBST1707805600001YRR-4

Date: Jul.31, 2021

Page 1 of 7

## Material Safety Data Sheets

### Section 1 - Product and Company Identification

**Product Identification:** Whiteboard Cleaner Spray

**Supplier:** Officeworks Ltd.  
236-262 East Boundary Road  
Bentleigh East VIC 3165  
Australia

**Tel:** 1300 633 423

**ABN:** 36 004 763 526

**Emergency Phone Number:** POISONS INFORMATION CENTRE 13 11 26.

Signed for and on behalf of

**Andy Zheng/Technical Director**

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

**Dongguan BST Testing Co., Ltd.**

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng Tel:86-769-23321759

District, Dong guan, Guangdong, China

Http://www.bst-lab.com

Fax:86-769-23020106

Email:test@bst.com



# MSDS

Report No.: SHBST1707805600001YRR-4

Date: Jul.31, 2021

Page 2 of 7

## Material Safety Data Sheets

### Section 2 – Composition/Information on Ingredients

**Ingredient Name:** Whiteboard Cleaner Spray

**The difference between the single product and mixture:** mixture

**Chemical Name:**

**Constitutes:**

Chemical Name	CAS No.	Content/%
Water	7732-18-5	82.95%
Triethanolamine	102-71-6	10%
Butyldiglycol	112-34-5	5.4%
AEO-9 ( alpha-isoctadecyl-omega-hydroxy-poly(oxy-2-ethanediyl) )	52292-17-8	1%
Citric acid monohydrate	5949-29-1	0.5%
Methylchloroisothiazolinone	26172-55-4	0.15%

### Section 3 - Hazards Identification information

**Health Hazards (Acute & Chronic):**

**Potential Health Hazards:**

**Skin Contact: (liquid only):** May irritate the skin.

**Eyes Contact: (liquid only):** May irritate the eyes. May cause redness or swelling.

**Inhalation :( liquid only):** May cause irritation to mucous membranes.

**Ingestion: (liquid only):** May cause nausea, vomiting, upset stomach, diarrhea.

**Medical Conditions Generally Aggravated by Exposure:** Pre-existing dermatitis

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

**Dongguan BST Testing Co., Ltd.**

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng District, Dongguan, Guangdong, China

Tel:86-769-23321759

Http://www.bst-lab.com

Fax:86-769-23020106

Email:test@bst.com



# MSDS

Report No.: SHBST1707805600001YRR-4

Date: Jul.31, 2021

Page 3 of 7

## Material Safety Data Sheets

### Section 4 - First Aid Measures

#### **First Aid:**

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lift the upper and lower eyelids. Get medical attention.

**Skin:** Swabbed out and water to clean.

**Inhalation:** Leave quickly from the scene to fresh air place. Keep airway open. Such as difficulty breathing, give oxygen. If stopped breathing, once artificial respiration. Go to a doctor.

**Ingestion:** Drink plenty of warm water, spits. Gastric lavage, guide inner-leakage. Go to a doctor.

### Section 5 - Fire Fighting Measures

Can not burn, not support combustion.

### Section 6 - Accidental Release Measures

#### **Steps to be taken in case Material is Released or Spilled:**

Leave quickly leakage pollution area personnel to safety, and isolation, strictly limiting access. Cut off the fire. Suggest emergency personnel wearing self-sustaining positive pressure type respirator, wear anti-static work clothes. As cut leakage source. Prevent ditch into sewer pipes, such restrictive space. Small spills with sand, vermiculite, or other inert materials absorption. Massive leak: to construct the beach or dig a pit asylum. Covered with foam, reduce steam disasters. Use explosion-proof pump metastasize to the tank or special collector inside, recycling or shipped to the waste disposal sites disposal.

### Section 7 - Handling and Storage

- Newly type gas mask (comprehensive mask), wearing protective clothing, wear rubber gloves.
- From direct sunlight, heat and workplace forbids smoking.
- Prevent steam leakage into the workplace atmosphere.

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

**Dongguan BST Testing Co., Ltd.**

A1201-1204 Xinsanqi Of Donghao Road, Dongcheng  
District, Dongguan, Guangdong, China

Tel:86-769-23321759

Http://www.bst-lab.com

Fax:86-769-23020106

Email: test@bst.com



# MSDS

Report No.: SIIBST1707805600001YRR-4

Date: Jul.31, 2021

Page 4 of 7

## Material Safety Data Sheets

- Avoid contact with antioxidants. Handling wants light, prevent packaging and container unloading damage.
- Equipped with corresponding varieties and number of fire equipment and leakage emergency treatment equipment.
- Empty containers may remain pests.

### Precautions to be taken in handling and storing

- Stored in a cool, well-ventilated area.
- Far from fire, heat source.
- Keep out of reach of children & pets.
- With oxidant, edible chemicals should be stored apart, avoid by all means is mixed storage.
- Do not place the deodorizer near heating equipment, nor expose to direct sunlight for long periods.
- Equipped with corresponding varieties and number of fire equipment.
- Storage areas shall be equipped with emergency treatment equipment and appropriate leakage of asylum materials.
- Extremely toxic substances shall strictly carry out the "five pairs of" management system.

### Section 8 - Exposure Controls & Personal Protection

#### Respiratory Protection:

The higher concentration in the air when filter brand-newly type gas mask, wearing a mask (half).

**Ventilation:** Not necessary under conditions of normal use.

**Protective Gloves:** Wear rubber gloves.

#### Other Protective Clothing or Equipment:

- Wearing protective clothing.
- Maintain good health habits.

### Section 9-Physical and Chemical Properties

**pH value:** N/A

**Melting point (°C):** N/A

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab:

**Dongguan BST Testing Co., Ltd.**

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng  
District, Dong guan, Guangdong, China

Tel:86-769-23321759  
Http://www.bst-lab.com

Fax:86-769-23020106  
Email:test@bst.com



# MSDS

Report No.: SHBST1707805600001YRR-4

Date: Jul.31, 2021

Page 5 of 7

## Material Safety Data Sheets

**Boiling point (°C):** N/A

**Flash point (°C):** N/A

**The relative density (water = 1):** N/A

**Relative steam density (air = 1):** N/A

**Saturated steam pressure (kPa):** (30°C) 68.1kpa (35°C) 83kpa

**Burning hot (kJ/mol):** No Material

**The critical temperature (°C):** No Material

**Critical pressure (MPa):** No Material

### Section 10 - Stability & Reactivity Data

**Chemical Stability:** Stable.

**Conditions to Avoid:** Alkaline substance

**Hazardous Decomposition Products:** N/A

**Hazardous Polymerization:** N/A

### Section 11 - Toxicological Information

**Toxicological Information:** N/A

**Excitant:** Slightly

**Primary irritant effect**

- on the skin: No irritant effect.
- on the eye: Slightly irritating
- Sensitization: No sensitizing effects known.

**Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

**Dongguan BST Testing Co., Ltd.**

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng  
District, Dongguan, Guangdong, China

Tel: 86-769-23321759

Http://www.bst-lab.com

Fax: 86-769-23020106

Email: test@bst.com



# MSDS

Report No.: SHBST1707805600001YRR-4

Date: Jul.31, 2021

Page 6 of 7

## Material Safety Data Sheets

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

**Toxicokinetics, metabolism and distribution:** No further relevant information available

**Acute effects (acute toxicity, irritation and corrosivity):** No further relevant information available

### Section 12 - Ecological Information

#### **Ecological Information:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **Results of PBT and vPvB assessment**

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

### Section 13 - Disposal Considerations

#### **Waste treatment methods**

- Recommendation: Smaller quantities can be disposed of with household waste.

#### **Uncleaned packaging**

- Recommendation: Disposal must be made according to official regulations.

### Section 14 - Transport Information

**Packaging methods:** Threaded mouth glass bottles, iron lid pressure mouth glass bottles, plastic or metal barrels (pot) outside ordinary wooden boxes, threaded mouth glass bottle, plastic or tin thin steel barrel (pot) outside full case box, fiberboard soleplate box or plywood box.

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

**Dongguan BST Testing Co., Ltd.**

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng  
District, Dongguan, Guangdong, China

Tel:86-769-23321759

Http://www.bst-lab.com

Fax:86-769-23020106

Email:test@bst.com



# MSDS

Report No.: SHBST1707805600001YRR-4

Date: Jul.31, 2021

Page 7 of 7

## Material Safety Data Sheets

**Transport Fashion:** By air, by sea, by railway, by road.

**Attention:** Gentle with, prevent collision drag and dump, Avoid exposure.

### Section 15 - Regulatory Information

**SVHC Candidate List of REACH Regulation Annex XIV Authorisation (15/12/2010)**

None of the ingredients is listed

**REACH Regulation Annex XVII Restriction List:** None of the ingredients is listed

**REACH Regulation Annex XIV Authorization Recommendation List (17/2/2011)**

None of the ingredients is listed

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### Section 16 - Other Information

**Other Information:** the above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use, this information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

BST confirmed the ninth item, the above content as reference information only. Please the user according to the demand to judge its usability. BST has no any responsibility.

\*\*\* End \*\*\*

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

**Dongguan BST Testing Co., Ltd.**

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng District, Dongguan, Guangdong, China  
Tel: 86-769-23321759  
Http://www.bst-lab.com

Fax: 86-769-23020106  
Email: test@bst.com